

---

# SAFETY DATA SHEET

---

## SECTION 1 – IDENTIFICATION OF SUBSTANCE AND COMPANY PREPARING INFORMATION

---

**Identity:** LIQUID GLAZES FAMILIES - Archie's Base and Archie's Series Colors, Celadon Colors and Clear, Crazed Copper, Oasis Blue, Saturated Iron, Turquoise Matt Glaze, Oxblood, Creamy Matt (and Colors), Under Colors (Texas Two Step), Bronze Temmoku, Copper Blue, Gloss Colors, Over Colors (Texas Two Step), Rust Brown, Toshi Brown, Snowy Plum, JB (Mottled) Colors, Light Shino (and Colors), Recycled Glaze, Enduro-Colors, Vibro-Colors, Fantasy Colors, Constellation Colors, Crystal Colors.

**Code:**

**Uses:** Glaze for ceramic use

**Manufacturer's Name:** Coyote Clay and Color.,

**Address:** 5107 Edith Blvd NE, Albuquerque, NM 87107

**Tel Phone:** 866-344-2250      **Emergency Tel:** Regional Poison Control Center

## SECTION 2 - HAZARD IDENTIFICATION

---

Each Liquid glaze family is a non-hazardous water based mixture of ceramic material containing non-leaded frits, clay, and other minerals and color pigments. Contains small amounts of potential carcinogens: Crystalline silica (quartz) may be present (up to 15% in some glazes). A few pigments may contain a very small amount of bound cadmium, titanium dioxide, and other metals. Other ingredient present have unknown acute toxicity

## SECTION 3 – COMPOSTION/INFORMATION ON INGREDIENTS

---

Each liquid glaze family is a non-hazardous water based proprietary mixtures of several of the ceramic materials listed below and color pigments

Ingredient	CAS#	% by weight
Water	7732-18-5	50%
Feldspar	68476-25-5	0 - 21.9
Nepheline Syenite	37244-96-5	0 - 19.7
Frit	65997-18-4	0 -16.6
Silica (Quartz)	14808-60-7	2.1- 15.4
Limestone	1317-65-3	0 -11.7
Calcium Borate	12046-09-2	0 - 10.1
Clay/Kaolin	1332-58-7	0.8- 8.1

Iron Oxide (Black)	1309-38-2	0 -5.3
Zinc Oxide	1314-13-2	0 -5.0
Iron Oxide (Red)	1309-37-1	0 4.6
Lithium Carbonate	544-13-2	0 -4.4
Talc	14807-96-6	0 - 6.0
Dolomite	16389-88-1	0 - 4.0
Calcium Phosphate, Dibasic	7757-93-9	0 - 4.0
Zirconium Silicate	14940-68-2	0 -3.7
Titanium Dioxide	13463-67-7	0 -2.7
Silicon Carbide	409-21-2	0 -1.8
Bentonite	1302-78-9	0- 1.5
Copper Carbonate	1164-64-1	0 -1.5
Magnesium Sulfate	7487-88-9	0-1.2
Spodumene	1302-37-0	0 >1
Wollastonite	23983-17-0	0 >1
Magnesium Carbonate	546-93-0	0 >1
Lithium Aluminum Silicate	12068-40-5	0 >1
Strontium Carbonate	1663-05-2	0 >1
Pigments	Varies	Varies

---

#### **SECTION 4 – FIRST-AID MEASURES**

---

Inhalation: May cause irritation. Remove from exposure.  
 Skin: May cause irritation, Wash skin with soap and water.  
 Eye: May cause irritation, Flush eyes with large quantities of water for at least 15 minutes. If irritation is present after washing, contact a physician.  
 Ingestion: Contact a physician

---

#### **SECTION 5 – FIRE-FIGHTING MEASURES**

---

Special Fire-Fighting Procedure – None	Unusual Fire or Explosion Hazards - None
Extinguishing Media – None	Hazardous Combustion Products - None

---

#### **SECTION 6 – ACCIDENTAL RELEASE MEASURES**

---

Personal Precautions: None  
 Methods for containment and clean up - clean up spills with water

---

---

Environmental Precautions - None

---

## SECTION 7 – HANDLING AND STORAGE

---

Precautions for safe handling: None  
Conditions for safe storage: None  
Procedures for Leaks or Spills - None

Procedure/Equipment - None  
Work Practices - None

---

## SECTION 8 – EXPOSURE CONTROL/PERSONAL PROTECTION

---

**Exposure Limits** - These non-hazardous liquids glazes are water based mixtures of ceramic material containing non-lead frits, clay, silica and other minerals and color pigments.

These mixtures have no TLV or PEL

**Engineer Control** – Adequate ventilation (local exhaust) if sprayed

**Personal Protective Equipment** - For spray application –eye protection and respirators and protective clothing such as aprons.

---

## SECTION 9 – PHYSICAL AND CHEMICAL PROPERTIES

---

Appearance –liquid  
Odor and Odor Threshold – Negligible  
Flash Point - None  
pH – NA  
Boiling Point/Boiling Range - None  
Vapor Pressure – N/A  
Vapor Density – N/A  
Evaporation Rate - None  
Melting/Softening Point – N/A

Upper/Lower Explosive Limits - None  
Partition Coefficient(octanol/H<sub>2</sub>O)-NA  
Flammability– None  
Decomposition Temperature - None  
Solubility in Water- Partial  
Viscosity - NA  
Evaporation Rate - None  
Specific Gravity – Unknown  
Auto-Ignition Temperature - None

---

## SECTION 10 – STABILITY AND REACTIVITY

---

Chemical Stability –Stable  
Hazardous Decomposition Products – N/A  
Incompatible Material – None

Hazardous Reactions - None  
Conditions to Avoid - Fumes from firing  
In kiln

---

## SECTION 11 – TOXICOLOGICAL INFORMATION

---

Primary Route of Entry – Dermal, Inhalation (If sprayed)

Hazard to Humans - None during normal use (non spray use)

Animal Experiment (liquid glazes)

Acute Toxicity, – No data

Sensitization - No data

Carcinogenicity No data

Skin and eye irritation - No data,

Mutagenicity- No data

Reproductive Toxicity - No data

Additional Information This mixture contain silica a know carcinogen (by inhalation  
This chemical mixture, in water, should be non-toxic during recommended use

---

## SECTION 12 – ECOLOGICAL INFORMATION

---

Ecotoxicity --- None

Biodegradability - No

Mobility in Soil - No

Persistence -Yes

Bioaccumulation - No

Other adverse effects - None

---

## SECTION 13 – DISPOSAL INFORMATION

---

Follow Local, State And Federal Regulations

---

## SECTION 14 – TRANSPORTATION INFORMATION

---

UN Number - None

UN Proper Shipping Name - None

Transportation Hazard Class - NA

Packing Group - None

Environmental Hazard - None

Special Precautions - None

---

## SECTION 15 --REGULATORY INFORMATION

---

Silica (quartz) and titanium dioxide are listed by California Prop 65 as carcinogens  
Silica (quartz) is listed on the IARC, OSHA, or NTP carcinogen list.

SARA Section 313 – None

See local requirements.

Conforms to ASTM D 4236 This material has been evaluated under the provision of  
LHAMA (Labeling of hazardous art material act). This product is judged to be non-  
toxic and non- flammable under proposed use conditions. No special warning is required  
under the provisions of LHAMA or California Proposition 65

---

## **SECTION 16 - OTHER INFORMATION**

---

**Date Prepared:** Feb 11, 2021